## **IN THE CLAIMS:**

Amend the claims as follows.

Claims 1-102 (Canceled).

## 103. (Previously Presented) A compound of Formula I:

wherein:

wherein Ph denotes a phenyl group which is optionally substituted with 1, 2, 3, 4 or 5 substituents independently selected from a  $C_{1-4}$  alkyl group, -F, -Cl, -Br, -I, -CN, or -NO<sub>2</sub>;

R<sup>1a</sup> is -H, a C<sub>1</sub>-4alkyl group, or a C<sub>1</sub>-4haloalkyl group;

R<sup>2a</sup> is -H, a C<sub>1-4</sub>alkyl group, or a C<sub>1-4</sub>haloalkyl group;

R<sup>1b</sup> is -H, a C<sub>1</sub>-4alkyl group, or a C<sub>1</sub>-4haloalkyl group;

 $R^{2b}$  is -H, a  $C_{1}$ -4alkyl group, or a  $C_{1}$ -4haloalkyl group;

R<sup>3</sup> is -F;

R<sup>4</sup> is -F:

R⁵ is -H;

$$R^7$$
 is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>;  
Z is -CH<sub>2</sub>-T-W;  
T is -CH<sub>2</sub>-, -O-, -S-, -(S=O)-, or -(SO<sub>2</sub>)-;

wherein the group -CH<sub>2</sub>-T- may optionally be substituted with 1 or 2 substituents, denoted  $Q^1$  and  $Q^2$  respectively, on carbon, wherein  $Q^1$  and  $Q^2$  are independently a  $C_{1^{-4}}$ alkyl group or a halogen; or, when  $Q^1$  and  $Q^2$  are bonded to adjacent carbon atoms,  $Q^1$  and  $Q^2$  together may form a  $C_{3^{-4}}$ alkylene radical optionally substituted with 1, 2, 3 or 4 substituents independently selected from  $C_{1^{-4}}$ alkyl groups and halogens;

W is one of:

- (1) -COOH;
- (2)  $-(C=O)OR^8$ ;
- (3)  $-(C=O)NR^9R^9$ ;
- (4) -SO<sub>2</sub>NHR<sup>10</sup>;
- (5) -SO<sub>2</sub>OR<sup>11</sup>;
- (6) -PO<sub>3</sub>R<sup>11</sup>R<sup>11</sup>;
- (7) -CONH-SO<sub>2</sub>R<sup>12</sup>;

with the proviso that if T is -O-, -S-, -(S=O)-, or -(SO<sub>2</sub>)-, then W is not -COOH;

wherein:

R<sup>8</sup> is a C<sub>1-6</sub>alkyl group, a C<sub>3-6</sub>cycloalkyl group, or -CH<sub>2</sub>-CH=CH<sub>2</sub>;
R<sup>9</sup> is independently -H, a C<sub>1-6</sub>alkyl group, a C<sub>3-6</sub>cycloalkyl group, and wherein the C<sub>3-6</sub>cycloalkyl group may optionally carry a methyl group;

 $R^{10}$  is a  $C_{1^-6}$ alkyl group, -CH<sub>2</sub>-CH=CH<sub>2</sub>, a  $C_{3^-6}$ cycloalkyl group, or a  $C_{1^-4}$ haloalkyl group; and wherein the  $C_{3^-6}$ cycloalkyl group may optionally carry a methyl group;  $R^{11}$  represents -H, a  $C_{1^-6}$ alkyl group, or a  $C_{3^-6}$ cycloalkyl group;  $R^{12}$  is one of:

- (a) a C<sub>3</sub>-<sub>7</sub>cycloalkyl group;
- (b) a C<sub>1-6</sub>alkyl group, optionally substituted with one or more of: a phenyl group; a phenyl group with from 1 to 5 substituents selected from halogen, -NO<sub>2</sub>, -CF<sub>3</sub>, C<sub>1-4</sub>alkyl, C<sub>1-4</sub>alkoxy, -NH<sub>2</sub>, -NHCOCH<sub>3</sub>, -CONH<sub>2</sub>, -OCH<sub>2</sub>COOH, -NH(C<sub>1-4</sub>alkyl), -N(C<sub>1-4</sub>alkyl)<sub>2</sub>, -NHCOOC<sub>1-4</sub>alkyl, -OH, -COOH, -CN and -COOC<sub>1-4</sub>alkyl; a C<sub>1-4</sub>alkyl group; a C<sub>1-4</sub>haloalkyl group; or a halogen; and,
- (c) a C<sub>1</sub>-6perfluoroalkyl group.
- 104. (Previously Presented) A compound according to claim 103, wherein R<sup>1</sup> and R<sup>2</sup> are independently -I, -Br, or -Cl.
  - 105. (Previously Presented) A compound according to claim 103, wherein R<sup>1</sup> and R<sup>2</sup> are both -I.
- 106. (Previously Presented) A compound according to claim 103, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.

- 107. (Previously Presented) A compound according to claim 104, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.
- 108. (Previously Presented) A compound according to claim 105, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.
- 109. (Previously Presented) A compound according to claim 103, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.
- 110. (Previously Presented) A compound according to claim 104, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.
- 111. (Previously Presented) A compound according to claim 105, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.
- 112. (Previously Presented) A compound according to claim 103, wherein Z is -CH<sub>2</sub>-T-C(=0)OH or -CH<sub>2</sub>-T-C(=0)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.
- 113. (Previously Presented) A compound according to claim 104, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.
- 114. (Previously Presented) A compound according to claim 105, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.

- 115. (Previously Presented) A compound according to claim 106, wherein Z is  $-CH_2-T-C(=O)OH$  or  $-CH_2-T-C(=O)OR^8$ ; and, T is  $-CH_2-T-C(=O)OR^8$ .
- 116. (Previously Presented) A compound according to claim 107, wherein Z is  $-CH_2-T-C(=O)OH$  or  $-CH_2-T-C(=O)OR^8$ ; and, T is  $-CH_2-T-C(=O)OR^8$ ; and
- 117. (Previously Presented) A compound according to claim 108, wherein Z is  $-CH_2-T-C(=O)OH$  or  $-CH_2-T-C(=O)OR^8$ ; and, T is  $-CH_2-T-C(=O)OR^8$ .
- 118. (Previously Presented) A compound according to claim 109, wherein Z is -CH<sub>2</sub>-T-C(=O)OH or -CH<sub>2</sub>-T-C(=O)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.
- 119. (Previously Presented) A compound according to claim 110, wherein Z is -CH<sub>2</sub>-T-C(=0)OH or -CH<sub>2</sub>-T-C(=0)OR<sup>8</sup>; and, T is -CH<sub>2</sub>-.
- 120. (Previously Presented) A compound according to claim 111, wherein Z is  $-CH_2-T-C(=O)OH$  or  $-CH_2-T-C(=O)OR^8$ ; and, T is  $-CH_2-T-C(=O)OR^8$ .
- 121. (Previously Presented) A compound according to claim 103, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

- 122. (Previously Presented) A compound according to claim 104, wherein  $R^8$  is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 123. (Previously Presented) A compound according to claim 105, wherein  $R^8$  is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 124. (Previously Presented) A compound according to claim 106, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 125. (Previously Presented) A compound according to claim 107, wherein  $R^8$  is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 126. (Previously Presented) A compound according to claim 108, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 127. (Previously Presented) A compound according to claim 109, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 128. (Previously Presented) A compound according to claim 110, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 129. (Previously Presented) A compound according to claim 111, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

- 130. (Previously Presented) A compound according to claim 112, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 131. (Previously Presented) A compound according to claim 113, wherein  $R^8$  is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 132. (Previously Presented) A compound according to claim 114, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 133. (Previously Presented) A compound according to claim 115, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 134. (Previously Presented) A compound according to claim 116, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 135. (Previously Presented) A compound according to claim 117, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.
- 136. (Previously Presented) A compound according to claim 118, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

137. (Previously Presented) A compound according to claim 119, wherein  $R^8$  is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

138. (Previously Presented) A compound according to claim 120, wherein R<sup>8</sup> is -H, -C(CH<sub>3</sub>)<sub>3</sub>, or -CH<sub>2</sub>-CH=CH<sub>2</sub>.

- 139. (Previously Presented) A compound selected from:
  - {3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoyl}-L-glutamic acid;
  - {3,5-difluoro-4-[bis(2-chloroethyl)amino]benzoyl}-L-glutamic acid;
  - {3,5-difluoro-4-[bis(2-bromoethyl)amino]benzoyl}-L-glutamic acid;
  - {3,5-difluoro-4-[bis(2-bromopropyl)amino] benzoyl}-L-glutamic acid;

and, the di-tert-butyl esters thereof.

- 140. (Previously Presented) A compound selected from:
  - {3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoyl}-L-glutamic acid;

and, the di-tert-butyl ester thereof.

141. (Previously Presented) A compound of Formula II:

$$R^{1}$$
 $R^{1a}$ 
 $R^{2a}$ 
 $R^{2b}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{5}$ 
 $R^{5}$ 

wherein:

 $R^1$  is -Cl, -Br, -l, -OSO<sub>2</sub>CH<sub>3</sub>, or -OSO<sub>2</sub>Ph;

R<sup>2</sup> is -Cl, -Br, -I, -OSO<sub>2</sub>CH<sub>3</sub>, or -OSO<sub>2</sub>Ph;

wherein Ph denotes a phenyl group which is optionally substituted with 1, 2, 3, 4 or 5 substituents independently selected from a  $C_{1-4}$  alkyl group, -F, -Cl, -Br, -I, -CN, or -NO<sub>2</sub>;

R<sup>1a</sup> is -H, a C<sub>1-4</sub>alkyl group, or a C<sub>1-4</sub>haloalkyl group;

R<sup>2a</sup> is -H, a C<sub>1</sub>-4alkyl group, or a C<sub>1</sub>-4haloalkyl group;

R<sup>1b</sup> is -H, a C<sub>1</sub>-4alkyl group, or a C<sub>1</sub>-4haloalkyl group;

R<sup>2b</sup> is -H, a C<sub>1-4</sub>alkyl group, or a C<sub>1-4</sub>haloalkyl group;

R<sup>3</sup> is -F:

R4 is -F; and

R<sup>5</sup> is -H.

- 142. (Previously Presented) A compound according to claim 141, wherein R<sup>1</sup> and R<sup>2</sup> are independently -I, -Br, or -CI.
- 143. (Previously Presented) A compound according to claim 141, wherein R<sup>1</sup> and R<sup>2</sup> are both -I.
- 144. (Previously Presented) A compound according to claim 141, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.
- 145. (Previously Presented) A compound according to claim 142, wherein R<sup>1a</sup>, R<sup>1b</sup>, R<sup>2a</sup>, R<sup>2b</sup> are each independently -H or -CH<sub>3</sub>.

- 146. (Previously Presented) A compound according to claim 143, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are each independently -H or -CH<sub>3</sub>.
- 147. (Previously Presented) A compound according to claim 141, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.
- 148. (Previously Presented) A compound according to claim 142, wherein  $R^{1a}$ ,  $R^{1b}$ ,  $R^{2a}$ ,  $R^{2b}$  are all -H.
- 149. (Previously Presented) A compound according to claim 143, wherein R<sup>1a</sup>, R<sup>1b</sup>, R<sup>2a</sup>, R<sup>2b</sup> are all -H.
  - 150. (Previously Presented) A compound selected from:
    - 3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoic acid;
    - 3,5-difluoro-4-[bis(2-chloroethyl)amino]benzoic acid;
    - 3,5-difluoro-4-[bis(2-bromoethyl)amino]benzoic acid; and
    - 3,5-difluoro-4-[bis(2-bromopropyl)amino]benzoic acid.
  - 151. (Previously Presented) 3,5-difluoro-4-[bis(2-iodoethyl)amino]benzoic acid.
- 152. (Previously Presented) A composition comprising a compound according to claim 103, and a pharmaceutically acceptable carrier or diluent.

153. (Previously Presented) A composition comprising a compound according to claim 139, and a pharmaceutically acceptable carrier or diluent.

154. (Previously Presented) A composition comprising a compound according to claim 140, and a pharmaceutically acceptable carrier or diluent.

Claims 155-157. (Cancelled)